


HDMI CABLE



- Support 4K, 1080P, 3D.
- Gold-Plated connector.
- Fully Shielded and flexible and have resistant to abrasion.

HDMI CABLE



HDMI Cable

Model:DT-H001

- HDMI 19+1,24K gold-plated connector.
- Support4K,1080p&3D.
- With Texindexcom and aluminum foil double shielding.
- With ROHS and CE compliant.

Model	Length
DT-H001	0.75M
DT-H002	1M
DT-H003	1.5M
DT-H004	2M
DT-H005	3M
DT-H006	5M
DT-H007	8M
DT-H008	10M



HDMI Cable

Model:DT-H021

- HDMI 19+1,24K gold-plated connector.
- Support4K,1080p&3D.
- With Texindexcom and aluminum foil double shielding.
- With ROHS and CE compliant.

Model	Length
DT-H021	0.75M
DT-H022	1M
DT-H023	1.5M
DT-H024	2M
DT-H025	3M
DT-H026	5M
DT-H027	8M
DT-H028	10M

HDMI CABLE



HDMI 2.0 Cable

Model:DT-H201

- HDMI 2.0 Version,Support HDCP2.2.
- High Speed:Total Data throughput of 18Gbps, three lanes,6Gbps per lane.
- Supports 4K resolution@60Hz,3D.
- HDMI 19+1,24K gold-plated connector.

Model	Length
DT-H201	0.75M
DT-H202	1M
DT-H203	1.5M
DT-H204	2M
DT-H205	3M




HDMI 2.0 flat Cable

Model:DT-H101

- HDMI 2.0 Version,Support HDCP2.2.
- High Speed:Total Data throughput of 18Gbps,three lanes,6Gbps per lane.
- Supports 4K resolution@60Hz,3D.
- Supports ARC(Audio Return Channel);Ethernet; 48-Bit Deep Color.
- Supports up to 1536 kHz audio sample frequency; 32 audio channels.
- 100%Oxygen free copper conductors; Triple Shielding.

Model	Length
DT-H101	0.75M
DT-H102	1.8M
DT-H103	2M
DT-H104	3M
DT-H105	5M
DT-H106	8M
DT-H107	10M
DT-H108	15M

HDMI CABLE




HDM 2.0AOC fiber cable 4K@60HZ

Model:DT-HF101

- HDMI 2.0 Version;High Speed-18 Gbps.
- Supports up to 1536 kHz audio sample frequency;32 audio channels.
- 4K x 2K Support – Supports ANY resolution to 4K(4096x2160)at 30 or 60Hz.
- HDCP 2.2; EDID; CEC.
- ARC(Audio Return Channel);Ethernet; 48-Bit Deep Color;

Model	Length
DT-HF101	15M
DT-HF103	20M
DT-HF104	30M
DT-HF107	50M
DT-HF108	60M



HDMI 2.0AOC fiber cable 4K@60HZ 444

Model:DT-HF201

- Up to 100m Maximum Length.
- HDMI 2.0 Version;High Speed-18 Gbps,YUV4:4:4.
- Supports up to 1536 kHz audio sample frequency; 32 audio channels.
- 4Kx2K Support-Supports ANY resolution to 4K (4096x2160)at 30 or 60Hz.
- HDCP 2.2;EDID;CEC.

Model	Length
DT-HF201	15M
DT-HF203	20M
DT-HF204	30M
DT-HF207	50M
DT-HF208	60M
DT-HF210	70M
DT-HF211	100M

HDMI CABLE



HDMI Cable

Model:DT-6618

- HDMI 19+1,24K gold-plated connector.
- Support, 1080p&3D.
- With Texindexcom and aluminum foil double shielding.
- With ROHS and CE compliant.

Model	Spec	Length
DT-6618	30AWG	1.8M
DT-6630	30AWG	3M
DT-6650	30AWG	5M
DT-6680	30AWG	8M
DT-6610	30AWG	10M
DT-6615	30AWG	15M
DT-6620	30AWG	20M

HDMI Male to Male Cable(with chipset)

Model:DT-6625C

- HDMI 1.4 built-in signal amplifierchip,AWG 24.
- Supports 1920x1080p full HD output format.
- Play operation - no need to set.

Model	Spec	Length
DT-6625C	30AWG	25M
DT-6630C	30AWG	30M
DT-6635C	30AWG	35M
DT-6640C	30AWG	40M
DT-6645C	30AWG	45M
DT-6650C	30AWG	50M



www.dtechelectronics.com

DTECH[®]

Guangzhou dtech electronics technology Co.,Ltd
ADD:NO.488 Qinghong Road,Hongqi Industrial park
Zhongluotan Town,Baiyun District,Guangzhou,China
TEL:+86-20-62107222
Fax:+86-20-85534513
Web:www.dtechelectronics.com
E-mail:export@dtechelectronics.com